Author Index Vol. 559

Ali, H., see Guzman, N. A. 559(1991)307
Banke, N., Hansen, K. and Diers, I.
Detection of enzyme activity in fractions collected from free solution capillary electrophoresis of complex samples 559(1991)325
Barinaga, C. J., see Smith, R. D. 559(1991)197
Bonn, G., see Seitz, U. 559(1991)499
Brownlee, R. G., see Schwartz, H. E. 559(1991)267
Bruin, G. J. M., Stegeman, G., Van Asten, A. C., Xu, X., Kraak, J. C. and Poppe, H.
Optimization and evaluation of the performance of arrangements for UV detection in high-resolution separations using fused-silica capillaries 559(1991)163
Buchanan, J. S., see Gurley, L. R. 559(1991)411
Burgi, D. S., see Chien, R.-L. 559(1991)141
Burgi, D. S., see Chien, R.-L. 559(1991)153
Burgi, D. S., see Salomon, K. 559(1991)69
Busch, M. P., see Schwartz, H. E. 559(1991)267
Chen, D. Y., Swerdlow, H. P., Harke, H. R., Zhang, J. Z. and Dovichi, N. J.
Low-cost, high-sensitivity laser-induced fluorescence detection for DNA sequencing by capillary gel electrophoresis 559(1991)237
Chen, F.-T. A.
Rapid protein analysis by capillary electrophoresis 559(1991)445
Chen, J. W., Cohen, A. S. and Karger, B. L.
Identification of DNA molecules by pre-column hybridization using capillary electrophoresis 559(1991)295
Chiari, M., Ettori, C. and Righetti, P. G.
Capillary zone electrophoresis analysis of acrylamido buffers for isoelectric focusing in immobilized pH gradients 559(1991)119
Chien, R.-L. and Burgi, D. S.
Field amplified sample injection in high-performance capillary electrophoresis 559(1991)141
Chien, R.-L. and Burgi, D. S.
Field-amplified polarity-switching sample injection in high-performance capillary electrophoresis 559(1991)153
Cohen, A. S., see Chen, J. W. 559(1991)295
Compton, B. J.
Electrophoretic mobility modeling of proteins in free zone capillary electrophoresis and its application to monoclonal antibody microheterogeneity analysis 559(1991)357
Cooke, N., see Guttman, A. 559(1991)285
Cunico, R. L., Gruhn, V., Kresin, L., Nitecki, D. E. and Wiktorowicz, J. E.
Characterization of polyethylene glycol modified proteins using charge-reversed capillary electrophoresis 559(1991)467
Demorest, D. and Dubrow, R.
Factors influencing the resolution and quantitation of oligonucleotides separated by capillary electrophoresis on a gel-filled capillary 559(1991)43
Diers, I., see Banke, N. 559(1991)325
Dovichi, N. J., see Chen, D. Y. 559(1991)237
Dubrow, R., see Demorest, D. 559(1991)43
Edmonds, C. G., see Smith, R. D. 559(1991)197
El Rassi, Z., see Nashabeh, W. 559(1991)367
Escalona, , see Hernandez, L. 559(1991)183
Ettori, C., see Chiari, M. 559(1991)119
Florance, J. R., Konteatis, Z. D., Macielag, M. J., Lessor, R. A. and Galdes, A.
Capillary zone electrophoresis studies of motilin peptides. Effects of charge, hydrophobicity, secondary structure and length 559(1991)391
Galdes, A., see Florance, J. R. 559(1991)391
Gale, R. J., see Ghowsi, K. 559(1991)95
Ghowsi, K. and Gale, R. J.
Field effect electroosmosis 559(1991)95
Grossman, P. D. and Soane, D. S.
Capillary electrophoresis of DNA in entangled polymer solutions 559(1991)257
Gruhn, V., see Cunico, R. L. 559(1991)467
Grushka, E.
Effect of hydrostatic flow on the efficiency in capillary electrophoresis 559(1991)81
Gurley, L. R., Buchanan, J. S., London, J. E., Stavert, D. M. and Lehnert, B. E.
High-performance capillary electrophoresis of proteins from the fluid lining of the lungs of rats exposed to perfluoroisobutylene 559(1991)411
Gurley, L. R., London, J. E. and Valdez, J. G.
High-performance capillary electrophoresis of histones 559(1991)431
Guttman, A. and Cooke, N.
Effect of temperature on the separation of DNA restriction fragments in capillary gel electrophoresis 559(1991)285

Guzman, N. A., Ali, H., Moschera, J., Iqbal, K. and Malick, A. W.
Assessment of capillary electrophoresis in pharmaceutical applications. Analysis and quantification of a recombinant cytokine in an injectable dosage form 559(1991)307
Guzman, N., see Hernandez, L. 559(1991)183
Hansen, K., see Banke, N. 559(1991)325
Harke, H. R., see Chen, D. Y. 559(1991)237
Harrington, S. J., Varro, R. and Li, T. M.
High-performance capillary electrophoresis as a fast in-process control method for enzyme-labelled monoclonal antibody conjugates 559(1991)385
Helmer, J. C., see Salomon, K. 559(1991)69
Henion, J. D., see Johansson, I. M. 559(1991)515
Heo, G. S., see Lee, K.-J. 559(1991)317
Hernandez, L., Escalona, , Joshi, N. and Guzman, N.
Laser-induced fluorescence and fluorescence microscopy for capillary electrophoresis zone detection 559(1991)183
Hurni, W. M. and Miller, W. J.
Analysis of a vaccine purification process by capillary electrophoresis 559(1991)337
Iqbal, K., see Guzman, N. A. 559(1991)307
Jelinek, I., see Snopek, J. 559(1991)215
Jellum, E., Thorsrud, A. K. and Time, E.
Capillary electrophoresis for diagnosis and studies of human disease, particularly metabolic disorders 559(1991)455
Johansson, I. M., Pavelka, R. and Henion, J. D.
Determination of small drug molecules by capillary electrophoresis–atmospheric pressure ionization mass spectrometry 559(1991)515
Joshi, N., see Hernandez, L. 559(1991)183
Kajiwara, H.
Application of high-performance capillary electrophoresis to the analysis of conformation and interaction of metal-binding proteins 559(1991)345
Karger, B. L., see Chen, J. W. 559(1991)295
Kawahara, J., see Otsuka, K. 559(1991)209
Khaledi, M. G., see Smith, S. C. 559(1991)57
Konteatis, Z. D., see Florance, J. R. 559(1991)391
Kraak, J. C., see Bruin, G. J. M. 559(1991)163
Kresin, L., see Cunico, R. L. 559(1991)467
Lee, C. S., Wu, C.-T., Lopes, T. and Patel, B.
Analysis of separation efficiency in capillary electrophoresis with direct control of electroosmosis by using an external electric field 559(1991)133
Lee, H. K., see Ong, C. P. 559(1991)529
Lee, H. K., see Ong, C. P. 559(1991)537
Lee, K.-J. and Heo, G. S.
Free solution capillary electrophoresis of proteins using untreated fused-silica capillaries 559(1991)317
Lehnert, B. E., see Gurley, L. R. 559(1991)411
Lessor, R. A., see Florance, J. R. 559(1991)391
Li, S. F. Y., see Ong, C. P. 559(1991)529
Li, S. F. Y., see Ong, C. P. 559(1991)537
Li, T. M., see Harrington, S. J. 559(1991)385
Liu, J., Shirota, O. and Novotny, M.
Separation of fluorescent oligosaccharide derivatives by microcolumn techniques based on electrophoresis and liquid chromatography 559(1991)223
London, J. E., see Gurley, L. R. 559(1991)411
London, J. E., see Gurley, L. R. 559(1991)431
Lopes, T., see Lee, C. S. 559(1991)133
Low, S. P., see Ong, C. P. 559(1991)529
Macielag, M. J., see Florance, J. R. 559(1991)391
Malick, A. W., see Guzman, N. A. 559(1991)307
McDonnell, T. and Pawliszyn, J.
Capillary isotachophoresis with concentration-gradient detection. An application to the separation of synthetic peptides 559(1991)489
Meier, P. and Thormann, W.
Determination of thiopental in human serum and plasma by high-performance capillary electrophoresis–micellar electrokinetic chromatography 559(1991)505
Miller, W. J., see Hurni, W. M. 559(1991)337
Moschera, J., see Guzman, N. A. 559(1991)307
Nashabeh, W. and El Rassi, Z.
Capillary zone electrophoresis of proteins with hydrophilic fused-silica capillaries 559(1991)367
Ng, C. L., see Ong, C. P. 559(1991)537
Nitecki, D. E., see Cunico, R. L. 559(1991)467
Novotny, M., see Liu, J. 559(1991)223
Novotny, M., see Snopek, J. 559(1991)215
Novotny, M. V., see Soini, H. 559(1991)547
Oefner, P., see Seitz, U. 559(1991)499
Ong, C. P., Ng, C. L., Lee, H. K. and Li, S. F. Y.
Separation of Dns-amino acids and vitamins by micellar electrokinetic chromatography 559(1991)537
Ong, C. P., Pang, S. F., Low, S. P., Lee, H. K. and Li, S. F. Y.
Migration behaviour of catechols and catecholamines in capillary electrophoresis 559(1991)529
Otsuka, K., Kawahara, J., Tatekawa, K. and Terabe, S.
Chiral separations by micellar electrokinetic chromatography with sodium N-dodecanoyl-L-valinate 559(1991)209

Pang, S. F., see Ong, C. P. 559(1991)529
Patel, B., see Lee, C. S. 559(1991)133
Pavelka, R., see Johansson, I. M. 559(1991)515
Pawliszyn, J. and Wu, J.
Moving boundary capillary electrophoresis with concentration gradient detection 559(1991)111
Pawliszyn, J., see McDonnell, T. 559(1991)489
Popp, M., see Seitz, U. 559(1991)499
Poppe, H., see Bruin, G. J. M. 559(1991)163
Righetti, P. G., see Chiari, M. 559(1991)119
Rodriguez, R., see Zhu, M. 559(1991)479
Salomon, K., Burgi, D. S. and Helmer, J. C.
Evaluation of fundamental properties of a silica capillary used for capillary electrophoresis 559(1991)69
Schneider, R. E., see Takigiku, R. 559(1991)247
Schwartz, H. E., Ulfelder, K., Sunzeri, F. J., Busch, M. P. and Brownlee, R. G.
Analysis of DNA restriction fragments and polymerase chain reaction products towards detection of the AIDS (HIV-1) virus in blood 559(1991)267
Seitz, U., Bonn, G., Oefner, P. and Popp, M.
Isotachophoretic analysis of flavonoids and phenolcarboxylic acids of relevance to phytopharmaceutical industry 559(1991)499
Shirota, O., see Liu, J. 559(1991)223
Smith, R. D., Udseth, H. R., Barinaga, C. J. and Edmonds, C. G.
Instrumentation for high-performance capillary electrophoresis–mass spectrometry 559(1991)197
Smith, S. C., Strasters, J. K. and Khaledi, M. G.
Influence of operating parameters on reproducibility in capillary electrophoresis 559(1991)57
Smolkova-Keulemansova, E., see Snopek, J. 559(1991)215
Snopek, J., Soini, H., Novotny, M., Smolkova-Keulemansova, E. and Jelinek, I.
Selected applications of cyclodextrin selectors in capillary electrophoresis 559(1991)215
Soane, D. S., see Grossman, P. D. 559(1991)257
Søeberg, H., see Vinther, A. 559(1991)3
Søeberg, H., see Vinther, A. 559(1991)27
Soini, H., Tsuda, T. and Novotny, M. V.
Electrochromatographic solid-phase extraction for determination of cimetidine in serum by micellar electrokinetic capillary chromatography 559(1991)547
Soini, H., see Snopek, J. 559(1991)215
Stavert, D. M., see Gurley, L. R. 559(1991)411
Stegeman, G., see Bruin, G. J. M. 559(1991)163
Strasters, J. K., see Smith, S. C. 559(1991)57
Sunzeri, F. J., see Schwartz, H. E. 559(1991)267
Swerdlow, H. P., see Chen, D. Y. 559(1991)237
Takigiku, R. and Schneider, R. E.
Reproducibility and quantitation of separation for ribonucleoside triphosphates and deoxyribonucleoside triphosphates by capillary zone electrophoresis 559(1991)247
Tatekawa, K., see Otsuka, K. 559(1991)209
Terabe, S., see Otsuka, K. 559(1991)209
Thormann, W., see Meier, P. 559(1991)505
Thorsrud, A. K., see Jellum, E. 559(1991)455
Time, E., see Jellum, E. 559(1991)455
Tsuda, T. and Zare, R. N.
Split injector for capillary zone electrophoresis 559(1991)103
Tsuda, T., see Soini, H. 559(1991)547
Udseth, H. R., see Smith, R. D. 559(1991)197
Ulfelder, K., see Schwartz, H. E. 559(1991)267
Valdez, J. G., see Gurley, L. R. 559(1991)431
Van Asten, A. C., see Bruin, G. J. M. 559(1991)163
Varro, R., see Harrington, S. J. 559(1991)385
Vinther, A. and Søeberg, H.
Mathematical model describing dispersion in free solution capillary electrophoresis under stacking conditions 559(1991)3
Vinther, A. and Søeberg, H.
Temperature elevations of the sample zone in free solution capillary electrophoresis under stacking conditions 559(1991)27
Wehr, T., see Zhu, M. 559(1991)479
Wiktorowicz, J. E., see Cunico, R. L. 559(1991)467
Wu, C.-T., see Lee, C. S. 559(1991)133
Wu, J., see Pawliszyn, J. 559(1991)111
Xu, X., see Bruin, G. J. M. 559(1991)163
Yim, K. W.
Fractionation of the human recombinant tissue plasminogen activator (rtPA) glycoforms by high-performance capillary zone electrophoresis and capillary isoelectric focusing 559(1991)401
Zare, R. N., see Tsuda, T. 559(1991)103
Zhang, J. Z., see Chen, D. Y. 559(1991)237
Zhu, M., Rodriguez, R. and Wehr, T.
Optimizing separation parameters in capillary isoelectric focusing 559(1991)479